



# CATALOGUE 2023

AIRGUN PELLETS



# Tradition

***Our airgun pellets production was established as a family business...***

*The roots of our present airgun pellets production reach back to the 1960s. In 1960 Mr. Cofek Stjepan, a pilot of the Military Academy and an expert for maintenance of mechanical machines, as well as an expert for airgun pellets production technology, started to construct his own technology for pellets production. The final version of this technology was completed in 1980. After a few years of test production the regular production started in 1984. These were the best airgun pellets produced in former Yugoslavia. Until 1989 the ammunition was produced for the needs of the Croatian Shooters' Association and former Yugoslavian market. In the same year the production was interrupted due to unstable economic and political conditions in former Yugoslavia.*

*In 1993, we established a new family-owned company in which Mr. Cofek Stjepan's nephews Jože and Milan Cofek started the production of Airgun pellets with a newly developed technology. As a result, new Airgun pellets with commercial brand name "White pellets" were developed. The \*WP\* lead pellets, named "white" due to extreme metal shine of the pellets, have an excellent ballistic quality. Pellets have been attested by the Ministry of the Interior and the Ministry of Defence of the Republic of Slovenia. Both attest, as well as the results of several satisfied shooters and competitors with \*White pellets\* during past*

*years, confirm the excellent quality and Coal's successful »different way to quality« in airgun pellets production. Today our product range covers production of many different types and calibres of airgun pellets.*


*With our own business processes, self-developed technology solutions in manufacturing airgun pellets, long-term development strategy and innovative business orientation, we provide constant care on the quality of our products and services. We offer an ever-wider range of ammunition for air weapon and long-term successful cooperation with our business partners.*

*As one of leading European airgun pellets producer, our vision is a long-term business growth and creating even more innovative high-quality airgun pellets and solutions in airgun pellets production, to meet the most demanding requirements of the users. In the future ... we will continue to direct our efforts in business excellence, with the aim to meet and exceed the expectations of each and every business partner and end-user, which is our obligation.*

*After more than 30 years of airgun pellets production, we would like to thank everyone who has enabled us to develop together and seek the best business solutions to meet the most demanding challenges, expectations and goals.*

Your Coal Team

# Labels with clean informations



## The Symbols

|                                 |           |                |
|---------------------------------|-----------|----------------|
| caliber                         | Ø         | 4,5mm   .177   |
| weight                          | 📊         | 0,47g   7,25gr |
| for weapon energy               | E         | 7,5J           |
| recommended to use              | 🎯         | 🎯              |
| for ranges                      | 10m   11y |                |
| quantity in tin (pcs.)          | 📦         | 200 500        |
| content of cardboard box (tins) | 📦         | 60 24          |

- hobby line pellets 🎯
- sport line pellets 🎯
- field line pellets 🎯
- hunting line pellets 🎯

# Products quality ... the


## High quality materials

We use the best available materials in order to achieve high and constant quality of our products. The basic raw material for "WP" pellets and \*Fenix line pellets\* is clean, refined lead, and for "PSP" pellets a combination of plastics material and metal where the metal is not in contact with the firearm bore. We thus ensure the basics for achieving the best ballistic qualities and long-term faultlessness of the firearm.

The basic package is a labelled tin. The selling and distribution package is a 3-layer cardboard box. Both, the basic as well as the selling and distribution packages are designed to protect the pellets and preserve its quality.


## Clean airgun pellets

Our airgun pellets are made from clean, refined lead, without admixture, which could affect the oxidation. Thanks to special technological processing, our pellets are clean, free of dirt and with extreme metal shine. Your hands stay clean and what is the most important, dirt, which could affect the functioning of the weapon, does not accumulate in the weapon mechanism and weapon tube. Faultless operation and long lifetime of the weapon is assured.



## Guiding edges of the ammunition

Accurate and sharp edges ensure minimal friction between the pellet and the weapon bore. This enables the best efficiency of the firearm's power (pressure) and thus the best possible velocity of the missile and the least burdening of the firearm's bore.



## Position and sealing of the pellet in the weapon bore

Over-sized and properly designed pellet skirt ensures excellent sealing between the pellet and the bore and therefore there is no loss of the firearm's power (pressure). Thus a constant initial velocity ( $V_0$ ) of all pellets is achieved.



## Excellent pellets weight equality & accuracy

Coal airgun pellets have an excellent weight equality and accuracy. In each production lot we guarantee  $\pm 4$  milligrams (0,004 g) of discrepancy in weight at the most by the 4.5 mm (.177) pellets or  $\pm 5$  milligrams (0,005 g) by the 5.5 mm (.22) pellets. All Coal airgun pellets branded "White pellets" corresponding to the above described equality and accuracy of the pellets weight. We thus achieve the highest possible ballistic accuracy of the pellet.

# facts about our advantages

## The best ballistic properties

Because of the presented qualities, our pellets have excellent ballistic results. Its characteristics are constant and high velocity of pellets and excellent shot groups.

The testing of "WP" pellets performed by the Ministry of the Interior of the Republic of Slovenia and the comparative testing of the Ministry of Defence of the Republic of Slovenia, as well as reference results of shooters using "White Pellets", such as 1st, 2nd and 3rd places on National championships in Slovenia and the results on International competitions confirm the high quality and ballistic qualities of "White Pellets".



## User friendly and robust „screw-on“ tins

The "screw-on" tins provide better protection of the content due to their robustness. Screw opening allows easy opening/closing. The tins without screw top, sealed with tape remain in our offer as an optional packing.



## 5 steps of product quality control

Product quality is of great importance for us. We achieve high and constant quality with our quality control in 5 steps, which was developed based on experience. We control: raw materials, manufacturing processes, products in the phase of manufacturing process, final products with technical, ballistic and visual control.

We devote a lot of attention to remove materials and products of unsuitable quality. An important tool for this is also visual control, which is irreplaceable in mass production of pellets. The thoroughness of control is marked for each product inside the cartons. This self-developed 5-phase control ensures the high quality of our products.

## Our quality guarantee

We assure weight equality of "WP" pellets with minimum of discrepancy.

Minimal discrepancy in velocity of each missile.

The "WP" pellet shall achieve the highest velocity in comparison to lead pellets of other producers when using the same weight of the lead pellet and the same airgun.

Long term quality of the pellets.

Faultless operation and longer lifeline of the fire-arm when using our products.

# Lynx Slugs




As a result of a longer research and development cycle, we developed our „Lynx“ slugs for air rifles. These will come to the market in the course of 2023 in various calibers and shapes. Aerodynamic design, as well as precise projectile weight constancy ( $\pm 0.003$  gram or  $\pm 0.046$  grain between projectiles) ensures excellent velocity constancy, projectile stability, accuracy and tightest impact groups. A great BC ensures a flat trajectory of projectile. They are designed for distances from 50 meters to 100 meters and beyond, and for muzzle energy of

the rifle at least 25 joules and over. The »Lynx« slugs will be available in special calibers that can be fully customized to the barrel profile. A great novelty and advantage we offer to customers with »Lynx« slugs is that we can completely customize the weight of the projectile to the customer's wants and needs and choosing only from the predetermined factory weights of slugs that are produced will not be necessary anymore. »Lynx« slugs are packaged in screw top tins and carefully packed in cartons to protect against damage during shipping.



# Lead airgun pellets







|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 🔋 | 0,50g   7,72gr |
| E | ≤16J           |
| 🔊 | 🔊              |
| 📏 | ≤25m   27y     |
| 🔍 | 500            |
| 📅 | 24             |

## Base line pellets

### Speedy

With semi domed head are the "SPEEDY" airgun pellets in calibre 4,5 mm/.177 an entry level plinking pellets, specially designed for airgun shooting for fun. These pellets with uncompromising competitive price enables for all shooters great fun for a low budget. Although this are an entry level pellets the aerodynamic domed shape of pellet allows precise shots up to medium distances. The pellets can also be used for air weapons with rotary magazine. Packed in durable plastic screw top box, 500 pieces in each.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 🔋 | 0,45g   6,94gr |
| E | 7,5J           |
| 🔊 | 🔊              |
| 📏 | ≤15m   16y     |
| 🔍 | 500            |
| 📅 | 24             |

## Starter line pellets

### Starter Wadcutter

This low budget lightweight airgun pellets with flat head are designed for all those shooters who do not want spend a lot of money for pellets, but want to enjoy the hobby and quality "plinking" shooting. Recommended to use for in 7,5 J air pistols and rifles at distances up to 15 meters / 16 yards.





|       |                |
|-------|----------------|
| Ø     | 4,5mm   .177   |
| 🔋     | 0,52g   8,02gr |
| E     | ≤16J           |
| 🔊     | 🔊              |
| ..... | ≤25m   27y     |
| 🔍     | 500            |
| 📅     | 24             |

## Starter line pellets

### Starter Domed

This low budget lightweight airgun pellets with semi-domed head are designed for all those shooters who do not want spend a lot of money for pellets, but want to enjoy the hobby and quality "plinking" outdoor shooting. Recommended to use in air pistols and rifles with energy 7,5 J-16 J at distances up to 25 meters / 27 yards.



|       |                |
|-------|----------------|
| Ø     | 4,5mm   .177   |
| 🔋     | 0,52g   8,02gr |
| E     | ≤16J           |
| 🔊     | 🔊              |
| ..... | ≤25m   27y     |
| 🔍     | 500            |
| 📅     | 24             |

### Starter Pointed

This low budget lightweight airgun pellets with pointed head are designed for all those shooters who do not want spend a lot of money for pellets, but want to enjoy the hobby and quality "plinking" outdoor shooting. Recommended to use in air pistols and rifles with energy 7,5 J-16 J at distances up to 25 meters / 27 yards.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,47g   7,25gr |
| E | 7,5J           |
| 🔊 | 🔊              |
| 📏 | 10m   11y      |
| 🎯 | 200 500        |
| 📅 | 60 24          |

## Hobby line pellets

### Basic

»Basic« pellets is a basic flat head pellet type made from lead. It is suitable for hobby shooters and teaching beginners, because of favourable ratio between price and quality. Caliber 4.5 (.177), lightweight, for muzzle energy 7.5 J.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,48g   7,41gr |
| E | ≤16J           |
| 🔊 | 🎯              |
| 📏 | ≤25m   27y     |
| 🎯 | 200 500        |
| 📅 | 60 24          |

## Sport line pellets

### Rapid Action

»Rapid Action« pellets has been specially developed for Action Shooting, where air weapons operate with CO2 gas or compressed air, as well as magazines for more pellets, rotary clips, etc. The pellet dimensions are carefully adapted to the magazine's inside diameters, therefore the pellets don't fall out from magazine. Due to this characteristic, »Rapid Action« pellets are the perfect solution for hobby shooters and action shooters. Caliber 4.5 (.177), flat head, for muzzle energy up to 16 J.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| ■ | 0,50g   7,72gr |
| E | 7,5J           |
| 🎯 | 10m   11y      |
| 🔍 | 500            |
| 📅 | 24             |



|   |                 |
|---|-----------------|
| Ø | 5,5mm   .22     |
| ■ | 0,80g   12,34gr |
| E | ≤25J            |
| 🎯 | ≤25m   27y      |
| 🔍 | 100 250 500     |
| 📅 | 60 24 18        |

## Sport line pellets

### Classic

»Classic« pellets is a model intended for sport shooting. It is an inexpensive and highly accurate pellet suitable for beginners, as well as for experienced shooter's trainings. Flat head, medium weight, caliber 4.5 mm (.177) and 5.5 mm (.22).

*We also provide packaging  
in tins of 100 pieces  
of 4.5 mm / .177 pellets  
or 50 pieces of 5.5 mm / .22 pellets,  
or as promo designed pellets  
for your company.  
Ask for an offer!*





|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,49g   7,56gr |
| E | 7,5J           |
| 🎯 | 🎯              |
| 📏 | 10m   11y      |
| 🔍 | 500            |
| 📅 | 24             |



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,52g   8,02gr |
| E | 7,5J           |
| 🎯 | 🎯              |
| 📏 | 10m   11y      |
| 🔍 | 500            |
| 📅 | 24             |

## Sport line pellets

### Normal

»Normal« pellets is specially designed for competitions. It is a pellet carefully controlled with our self-developed control process. Because of this control, this ammunition achieves excellent weight accuracy, initial speed and accuracy of each shot. Several first places were achieved using this ammunition at official national and international competitions. We offer these pellets in calibre 4.5 mm (.177) in various weights for pistol and rifle Olympic disciplines and three exact calibres 4,49 mm, 4,50 mm and 4,51 mm.

# MATCH!





|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| ■ | 0,56g   8,64gr |
| E | ≤25J           |
| 🎯 | 🎯              |
| 📏 | ≤50m   55y     |
| 🔍 | 200 500        |
| 📅 | 60 24          |



|   |                 |
|---|-----------------|
| Ø | 5,5mm   .22     |
| ■ | 1,00g   15,43gr |
| E | ≤40J            |
| 🎯 | 🎯               |
| 📏 | ≤50m   55y      |
| 🔍 | 100 250 500     |
| 📅 | 60 24 18        |

## Field line pellets

### Field

»Field« pellets with a domed head is intended for field use, but it is also usable for hunters. Designed with wadcutter rim. Accurate pellets in calibre 4.5 mm (.177) and 5.5 mm (.22), for medium and long-range, maximum initial velocity, tightest shot group.


*We also provide packaging  
in tins of 80 pieces  
of 4.5 mm / .177 pellets  
or 40 pieces of 5.5 mm / .22 pellets.  
Ask for an offer!*







|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| ■ | 0,56g   8,64gr |
| E | ≤25J           |
| 🎯 | 🎯              |
| 📏 | ≤50m   55y     |
| 🔍 | 500            |
| 📅 | 24             |



|   |                 |
|---|-----------------|
| Ø | 5,5mm   .22     |
| ■ | 1,00g   15,43gr |
| E | ≤40J            |
| 🎯 | 🎯               |
| 📏 | ≤50m   55y      |
| 🔍 | 250             |
| 📅 | 24              |

## Field line pellets

### Field Target

As a result of a longer development cycle in the company, we have developed the brand new FIELD TARGET airgun pellets in calibre 4,5 mm / .177 and 5.5 mm / .22 featuring a domed head with wadcutter rim, specially designed for the Field Target discipline.

The aerodynamic shape, as well as the precise constancy of pellet weight (with only +/- 0.003 grams of deviation between pellets) ensures excellent speed consistency, pellet stability, incredible accuracy and the tightest shot groups.\*\* Intended for medium ranges up to 50 metres/yards. Available in a special calibres 4.49 mm, 4.50 mm, 4.52 mm and 5.49 mm, 5.50 mm, 5.52 mm. Packed in screwable tins.

- uniform, clean pellets
- excellent weight equality +/- 0.003 g ( 0.046 grains) between pellets (by 4.5 mm / .177)
- \*\* Shot group / 5 shots:  
10 m indoor / 5.9 mm (0.023 inches) edge to edge / Rifle Walther LG 300 XT / 7.5J (by 4.5 mm / .177)  
25 m outdoor / 13.2 mm ( 0.52 inches) edge to edge / Rifle Hämmerli AR20 FT / 16 J (by 4.5 mm / .177)
- clean target cutting

Special calibres offer and order codes:

|                       |                       |
|-----------------------|-----------------------|
| 4.50 mm / 500WPFT45-1 | 5.50 mm / 250WPFT55-1 |
| 4.49 mm / 500WPFT45-2 | 5.49 mm / 250WPFT55-2 |
| 4.52 mm / 500WPFT45-3 | 5.52 mm / 250WPFT55-3 |



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,54g   8,33gr |
| E | ≤16J           |
| 🎯 | 👁️             |
| 📏 | ≤25m   27y     |
| 🔍 | 500            |
| 📅 | 24             |

## Hunting line pellets

### Hollow Point pellets 4.5 mm / .177 Ideal for the purpose of hunting!

This is medium weight pellet with Hollow point head and standard ribbed skirt form. High precision at medium distances and with flat trajectory. Due to the shape of the head and large deformation of the pellet has a strong effect on the target. Ideal for the purpose of hunting.



|   |                 |
|---|-----------------|
| Ø | 5,5mm   .22     |
| 📦 | 0,95g   14,66gr |
| E | ≤25J            |
| 🎯 | 👁️              |
| 📏 | ≤50m   55y      |
| 🔍 | 250             |
| 📅 | 24              |

### Hollow Point pellets 5.5 mm / .22 Ideal for the purpose of hunting!

This is medium weight pellet with Hollow point head and standard ribbed skirt form. High precision at medium distances and with flat trajectory. Due to the shape of the head and large deformation of the pellet has a strong effect on the target. Ideal for the purpose of hunting.



# Fenix line pellets Revolution ... the perfect hunting pellets.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| ■ | 0,62g   9,57gr |
| E | ≤25J           |
| 🎯 | ≤50m   55y     |
| 🔍 | 500            |
| 📅 | 24             |

|   |                 |
|---|-----------------|
| Ø | 5,5mm   .22     |
| ■ | 1,10g   16,98gr |
| E | ≤40J            |
| 🎯 | ≤50m   55y      |
| 🔍 | 250             |
| 📅 | 24              |

## Hunting line pellets

### FX450

»Fenix line« pellets in calibres 4.5 mm/.177 are intended for airgun marksmen, especially for hunting, but usable also by field target. The brand new carefully designed and accurate pellets, with excellent ballistic properties assure success for all users. Heavy weight, for long range. The perfect hunting pellets.

### FX550

»Fenix line« pellets in calibres 5.5 mm / .22 are intended for airgun marksmen, especially for hunting, but usable also by field target. The brand new carefully designed and accurate pellets, with excellent ballistic properties assure success for all users. Heavy weight, for long range. The perfect hunting pellets.





|    |                |
|----|----------------|
| Ø  | 4,5mm   .177   |
| ■  | 0,58g   8,95gr |
| E  | ≤25J           |
| 👁️ | 👁️             |
| 📏  | ≤50m   55y     |
| 🔍  | 200 500        |
| 📅  | 60 24          |



|    |                 |
|----|-----------------|
| Ø  | 5,5mm   .22     |
| ■  | 1,00g   15,43gr |
| E  | ≤40J            |
| 👁️ | 👁️              |
| 📏  | ≤50m   55y      |
| 🔍  | 100 250 500     |
| 📅  | 60 24 18        |

## Hunting line pellets

### Pointed

»Pointed« pellets is our most popular pellet for hunting. The overall length of the pellets provides the best ballistic properties and shot group. Maximum initial velocity. Designed with wadcutter rim. Medium-weight pellets, available in 4.5 mm/.177 and 5.5 mm/.22 caliber.

*We also provide packaging  
in tins of 80 pieces  
of 4.5 mm / .177 pellets  
or 40 pieces of 5.5 mm / .22 pellets.  
Ask for an offer!*





|       |                  |
|-------|------------------|
| Ø     | 4,5mm   .177     |
| 📦     | 0,675g   10,42gr |
| E     | ≤40J             |
| 🎯     | 🎯                |
| ..... | ≤50m   55y       |
| 🔍     | 400              |
| 📊     | 24               |



|       |                  |
|-------|------------------|
| Ø     | 4,5mm   .177     |
| 📦     | 0,675g   10,42gr |
| E     | ≤40J             |
| 🎯     | 🎯                |
| ..... | ≤50m   55y       |
| 🔍     | 400              |
| 📊     | 24               |



|       |                  |
|-------|------------------|
| Ø     | 4,5mm   .177     |
| 📦     | 0,750g   11,57gr |
| E     | ≤40J             |
| 🎯     | 🎯                |
| ..... | ≤50m   55y       |
| 🔍     | 400              |
| 📊     | 24               |

## Hunting line pellets

### Xtreme ft

New heavy pellets for shooting purposes only with really strong spring operated, PCP and other airguns. Suitable for medium and long distances up to +50m. Heavy domed head accurate pellets, 0.675 gram / 10,42 grain weight, suitable for field target and hunting.

### Xtreme ht

New heavy pellets for shooting purposes only with really strong spring operated, PCP and other airguns. Suitable for medium and long distances up to +50m. Heavy pointed head accurate pellets, 0.675 gram / 10,42 grain weight, suitable for hunting.

### Xtreme fx

New heavy pellets for shooting purposes only with really strong spring operated, PCP and other airguns. Suitable for medium and long distances up to +50m. Heavy parabolical head accurate pellets, with double fx circle, 0.750 gram / 11,57 grain weight, suitable hunting with extreme shock effect on the target.



|   |                  |
|---|------------------|
| Ø | 5,5mm   .22      |
| 📦 | 1,350g   20,84gr |
| E | ≤40J             |
| 🎯 | 🎯                |
| 📏 | ≤50m   55y       |
| 🔍 | 200              |
| 📊 | 24               |



|   |                  |
|---|------------------|
| Ø | 5,5mm   .22      |
| 📦 | 1,350g   20,84gr |
| E | ≤40J             |
| 🎯 | 🎯                |
| 📏 | ≤50m   55y       |
| 🔍 | 200              |
| 📊 | 24               |



|   |                  |
|---|------------------|
| Ø | 5,5mm   .22      |
| 📦 | 1,500g   23,14gr |
| E | ≤40J             |
| 🎯 | 🎯                |
| 📏 | ≤50m   55y       |
| 🔍 | 200              |
| 📊 | 24               |

## Hunting line pellets

### Xtreme ft

New heavy pellets for shooting purposes only with really strong spring operated, PCP and other airguns. Suitable for medium and long distances up to +50m. Heavy domed head accurate pellets, 1.350 gram / 20,84 grain weight, suitable for field target and hunting.

### Xtreme ht

New heavy pellets for shooting purposes only with really strong spring operated, PCP and other airguns. Suitable for medium and long distances up to +50m. Heavy pointed head accurate pellets, 1.350 gram / 20,84 grain weight, suitable for hunting.

### Xtreme fx

New heavy pellets for shooting purposes only with really strong spring operated, PCP and other airguns. Suitable for medium and long distances up to +50m. Heavy parabolical head accurate pellets, with double fx circle, 1.500 gram / 23,14 grain weight, suitable hunting with extreme shock effect on the target.





|   |                 |
|---|-----------------|
| Ø | 6,35mm   .25    |
| 📦 | 2,00g   30,86gr |
| E | ≤40J            |
| 🎯 | 👁️              |
| 📏 | ≤50m   55y      |
| 🔍 | 125             |
| 📅 | 24              |

## Hunting line pellets

### Heavy Pointed

This powerfull pellets is intended for hunting with high-powered rifles, such as PCP rifles. Due to its heavy weight have this pellet great impact effect. This pellets is remarkably effective at wide-ranges. Pellet with a pointed head and a smooth skirt.

*This typ is also available in the lighther version, 1,60 gram/ 24,69 grain.*



|   |                 |
|---|-----------------|
| Ø | 6,35mm   .25    |
| 📦 | 2,00g   30,86gr |
| E | ≤40J            |
| 🎯 | 👁️              |
| 📏 | ≤50m   55y      |
| 🔍 | 125             |
| 📅 | 24              |

### Heavy Domed

This new powerfull pellets is intended for hunting with high-powered rifles, such as PCP rifles. Due to its heavy weight have this pellet great impact effect. This pellets is remarkably effective at wide-ranges. Pellet with a domed head and a smooth skirt.

*This typ is also available in the lighther version, 1,60 gram/ 24,69 grain.*



# Lead free airgun pellets



The PMP pellets in calibres 4.5/.177 (plastic metal pellets).

Lead free pellets, made from metal head, pressed into plastic body of the pellet.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,37g   5,80gr |
| E | ≤25J           |
| 🎯 | ≤50m   55y     |
| 🔍 | 200            |
| 📊 | 50             |

## Hunting line pellets

### 200PMP

The 200PMP pellets in 4.5/.177 calibre are extremely fast, powerful and accurate pellets on the long distances, suitable for all purposes of hunting ( where is hunting allowed with airguns). Special recommended use for PCP airguns and stronger spring operated airguns. Packed 200 pcs. in screw top tins.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,52g   8,02gr |
| E | ≤25J           |
| 🎯 | ≤50m   55y     |
| 🔍 | 150            |
| 📊 | 50             |

### 150PMP

The 150PMP pellets in 4.5/.177 calibre are heavier pellets, therefore extremely stable on the longer distances, accurate and powerful, suitable for all purposes of hunting ( where is hunting allowed with airguns). Special recommended use for PCP airguns and stronger spring operated airguns. Packed 150 pcs. in screw top tins.





|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,40g   6,40gr |
| E | ≤25J           |
| 🎯 | 🎯              |
| 📏 | ≤40m   44y     |
| 🔍 | 250            |
| 📦 | 50             |

## Sport line pellets

### 250PMP

250 PMP 4.5 /177 calibre lead free short pellet with pointed head. Duo component light weight pellet suitable for guns with magazines. Packed 250 pcs. in screw top tins.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,58g   9,00gr |
| E | ≤40J           |
| 🎯 | 👁️             |
| 📏 | ≤50m   55y     |
| 🔍 | 150            |
| 📦 | 50             |

### 150PMX

150PMX 4.5 calibre lead free pellet with parabolical head. Duo component heavy weight pellet with xtreme shock effect. Packed 150 pcs. in screw top tins.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,28g   4,20gr |
| E | ≤16J           |
| 🎯 | 🎯              |
| 📏 | ≤25m   27y     |
| 🔍 | 125            |
| 📅 | 50             |

## Sport line pellets

### 125PP

125PP 4.5 / .177 calibre lead free flat head pellet. One component light weight pellet suitable for sport shooting. Packed 125 pcs. in screw top tins.



|   |                |
|---|----------------|
| Ø | 4,5mm   .177   |
| 📦 | 0,25g   3,80gr |
| E | ≤16J           |
| 🎯 | 🎯              |
| 📏 | ≤25m   27y     |
| 🔍 | 150            |
| 📅 | 50             |

### 150PP

150PP 4.5 / .177 calibre lead free pointed head pellet. One component light weight pellet suitable for sport shooting. Packed 150 pcs. in screw top tins.

The PMP pellets in calibres 5.5/.22 (plastic metal pellets).

Lead free pellets, made from metal head, pressed into plastic body of the pellet.



|   |                 |
|---|-----------------|
| Ø | 5,5mm   .22     |
| 📦 | 0,65g   10,04gr |
| E | ≤40J            |
| 🎯 | 👁️              |
| 📏 | ≤50m   55y      |
| 🔍 | 100             |
| 📊 | 50              |

## Hunting line pellets

### 100PMP

The 100PMP pellets in 5.5/.22 calibre are fast, powerful and accurate pellets on the long distances, suitable for all purposes of hunting (where is hunting allowed with airguns). Special recommended use for strong PCP and spring operated airguns. Packed 100 pcs. in screw top tins.



|   |                 |
|---|-----------------|
| Ø | 5,5mm   .22     |
| 📦 | 1,17g   17,15gr |
| E | ≤40J            |
| 🎯 | 👁️              |
| 📏 | ≤50m   55y      |
| 🔍 | 80              |
| 📊 | 50              |

### 80PMP

The 80PMP pellets in 5.5/.22 calibre are heavier pellets, extremely stable by the outer weather impacts, such as the winds, accurate and powerful impact on the longer distances, suitable for all purposes of hunting (where is hunting allowed with airguns). Special recommended use for strong PCP and spring operated airguns. Packed 80 pcs. in screw top tins.


**More velocity, better accuracy and high penetration.**



|   |   |
|---|---|
|  | 4,5mm   .177  |
|  | 0,35g   5,40gr  |
|  | ≤16J  |
|  |  |
|  | ≤25m   27y  |
|  | 750   |
|  | 24  |

|   |   |
|---|---|
|  | 4,5mm   .177  |
|  | 0,35g   5,40gr  |
|  | ≤16J  |
|  |  |
|  | ≤25m   27y  |
|  | 750   |
|  | 24  |

These two premium highly polished precision steel BB shots 4.5 mm/.177 BBs are precision made to exacting standards to give the maximum accuracy, power and performance in Co2 / air pistols & rifles that are designed to use steel .177 BB's. Comes in two finish – copper coated and zinc coated, for more velocity, increased distance, better accuracy and high penetration. Packed 750 pcs. into metal box with screwable top.



# 4 pack's packing solution



## 4 types airgun pellets 4.5/.177

Here we offer packing solution for 4 types of airgun pellets. The pellets group consist of Starter Wadccutter, Pointed, Domed and the Hollow point pellets in 4.5/.177. Packing: 4 pcs. "screw top" tins in each 250 pcs. pellets, packed in stretch foil, bottom of packing white paperboard. Custom packing solution: Tins labels and white paperboard designed by you, can be used as special advertising for your company.

## 4 types airgun pellets 5.5/.22

We continue our popular 4 pack's pellets solution in 5.5/.22 with 4 pack's in caliber 5.5/.22. The pellets group consist of Classic, Pointed, Domed and the Hollow point pellets in 5.5/.22 caliber. Packing: 4 pcs. "screw top" tins in each 125 pcs. pellets, packed in stretch foil, bottom of packing white paperboard. Custom packing solution: Tins labels and white paperboard designed by you, can be used as special advertising for your company.




## 4 types PMP airgun pellets

The PMP pellets (plastic metal pellets) comes also in 4 pack's. Two tins 4.5/.177 pellets and two 5.5/.22 pellets. The pellets group consist of 200PMP, 150 PMP, 100PMP and 80PMP typ of pellets. Packing: 4 pcs. "screw top" tins, packed in stretch foil, bottom of packing white paperboard.





# 5 different Airgun pellets six-pack tube samples

Selecting the best pellet to suit your gun, and for the particular purpose intended, usually means having to buy a lot of pellets. We offer a simple and cost-effective solution with the pellet sampler packs – Six pack tube samples.

|   | 6 PACK<br>TUBE SAMPLES                                  | product code<br>& calibre | Consist of tubes /<br>pellets samples   | pcs. /<br>tube                   | tubes /<br>rack            | pcs. rack<br>in card.box | pellets /<br>card.box |
|---|---|---------------------------|---|----------------------------------|----------------------------|--------------------------|-----------------------|
|    | <b>HUNTING<br/>&amp; FIELD<br/>LINE<br/>PELLETS</b>     | 6TS-HF45<br>4.5 mm /.177  | Pointed 4.5<br>FX450 4.5<br>Field 4.5<br>Field Target 4.49<br>Field Target 4.50<br>Field Target 4.52                          | 40<br>40<br>40<br>40<br>40<br>40 | 1<br>1<br>1<br>1<br>1<br>1 | 8                        | 1920                  |
|   | <b>SPORT &amp;<br/>COMPETITION<br/>LINE<br/>PELLETS</b> | 6TS-SC45<br>4.5 mm /.177  | Basic 4.5<br>Classic 4.5<br>Rapid Action 4.5<br>Normal Pistol 4.49<br>Normal Rifle 4.50<br>Normal Rifle 4.51                  | 40<br>40<br>40<br>40<br>40<br>40 | 1<br>1<br>1<br>1<br>1<br>1 | 8                        | 1920                  |
|  | <b>COMPETITION<br/>LINE<br/>PELLETS</b>                 | 6TS-CP45<br>4.5 mm /.177  | Normal Pistol 4.49<br>Normal Pistol 4.50<br>Normal Pistol 4.51<br>Normal Rifle 4.49<br>Normal Rifle 4.50<br>Normal Rifle 4.51 | 40<br>40<br>40<br>40<br>40<br>40 | 1<br>1<br>1<br>1<br>1<br>1 | 8                        | 1920                  |

# 5 different Airgun pellets six-pack tube samples

Selecting the best pellet to suit your gun, and for the particular purpose intended, usually means having to buy a lot of pellets. We offer a simple and cost-effective solution with the pellet sampler packs – Six pack tube samples.


| 6 PACK<br>TUBE SAMPLES   | product code<br>& calibre                         | Consist of tubes /<br>pellets samples | pcs. /<br>tube | tubes /<br>rack | pcs. rack<br>in card.box | pellets /<br>card.box |
|--|---|---------------------------------------|----------------|-----------------|--------------------------|-----------------------|
|   | <b>SPORT &amp;<br/>FIELD<br/>LINE<br/>PELLETS</b> | 6TS-SF55                              | Classic 5.5    | 30              | 1                        | 8<br><br>1440         |
|  |   |                                       | Pointed 5.5    | 30              | 1                        |                       |
|  |   |                                       | FX 550         | 30              | 1                        |                       |
|  |   |                                       | Field 5.49     | 30              | 1                        |                       |
|  |   |                                       | Field 5.50     | 30              | 1                        |                       |
|  |   |                                       | Field 5.51     | 30              | 1                        |                       |
|  | <b>LEAD<br/>FREE<br/>PELLETS</b>                  | 6TS-PMP45                             | 200PMP 4.5     | 40              | 1                        | 8<br><br>1680         |
|  |   |                                       | 150PMP 4.5     | 30              | 1                        |                       |
|  |   |                                       | 150PMX 4.5     | 50              | 1                        |                       |
|  |   |                                       | 250PMP 4.5     | 30              | 1                        |                       |
|  |   |                                       | 150PP 4.5      | 30              | 1                        |                       |
|  |   |                                       | 125PP 4.5      | 30              | 1                        |                       |



- practical for economical individual pellets testing and choice
- stable tube rack, useful when testing



- visible pellets due to packing into clear plastic tubes
- one hand easily openable tubes



- practical tubes for outdoor use
- tube holding possible in classical "ammunition" belt holder



- tube rack designed for store displays



# Summarized product information

| Product Informations        | Calibre mm (") | Product code | Pellet weight/gram | Pellet weight/grain | Pellets in tin/pcs. | Tin weight/gram | Tin typ diametre/mm | Tins quantity/Card.box | Pellets quantity/Card.box | Cardboard box dimensions/mm | Cardboard box weight/kg |
|-----------------------------|----------------|--------------|--------------------|---------------------|---------------------|-----------------|---------------------|------------------------|---------------------------|-----------------------------|-------------------------|
| <b>BASE LINE PELLETS</b>    |                |              |                    |                     |                     |                 |                     |                        |                           |                             |                         |
| Speedy Semi Domed           | 4.5(.177)      | 500SYD45     | 0,50               | 7,72                | 500                 | 269             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,6                     |
| <b>STARTER LINE PELLETS</b> |                |              |                    |                     |                     |                 |                     |                        |                           |                             |                         |
| Starter Wadcutter Diabolo   | 4.5(.177)      | 500SW45      | 0,45               | 6,94                | 500                 | 244             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,0                     |
| Starter Domed Diabolo       | 4.5(.177)      | 500SD45      | 0,52               | 8,02                | 500                 | 279             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,8                     |
| Starter Pointed Diabolo     | 4.5(.177)      | 500SP45      | 0,52               | 8,02                | 500                 | 279             | R66x22 S0           | 24                     | 12000                     | 235x155x96                  | 6,8                     |
| <b>HOBBY LINE PELLETS</b>   |                |              |                    |                     |                     |                 |                     |                        |                           |                             |                         |
| Basic 500 WP                | 4.5(.177)      | 500WPB45     | 0,47               | 7,25                | 500                 | 254             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,2                     |
| Basic 200 WP                | 4.5(.177)      | 200WPB45     | 0,47               | 7,25                | 200                 | 105             | R50x18              | 60                     | 12000                     | 235x155x95                  | 6,4                     |
| Rapid Action 500 WP         | 4.5 (.177)     | 500WPRA45    | 0,48               | 7,41                | 500                 | 259             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,3                     |
| Rapid Action 200 WP         | 4.5(.177)      | 200WPRA45    | 0,48               | 7,41                | 200                 | 107             | R50x18              | 60                     | 12000                     | 235x155x95                  | 6,5                     |
| <b>SPORT LINE PELLETS</b>   |                |              |                    |                     |                     |                 |                     |                        |                           |                             |                         |
| Classic 500 WP              | 4.5(.177)      | 500WPC45     | 0,50               | 7,72                | 500                 | 269             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,6                     |
| Classic 500 WP              | 5.5(.22)       | 500WPC55     | 0,80               | 12,34               | 500                 | 423             | R66x32              | 18                     | 9000                      | 235x155x95                  | 7,7                     |
| Classic 250 WP              | 5.5(.22)       | 250WPC55     | 0,80               | 12,34               | 250                 | 219             | R66x22 S0           | 24                     | 6000                      | 235x155x95                  | 5,4                     |
| Classic 100 WP              | 5.5(.22)       | 100WPC55     | 0,80               | 12,34               | 100                 | 91              | R50x18              | 60                     | 6000                      | 235x155x95                  | 5,5                     |
| Normal Pistol WP 500        | 4.50(.177)     | 500WPN45-P   | 0,49               | 7,56                | 500                 | 264             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,4                     |
| Normal Pistol WP 500        | 4.49(.177)     | 500WPN45-P2  | 0,49               | 7,56                | 500                 | 264             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,4                     |
| Normal Pistol WP 500        | 4.51(.177)     | 500WPN45-P3  | 0,49               | 7,56                | 500                 | 264             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,4                     |
| Normal Rifle WP 500         | 4.50(.177)     | 500WPN45-R   | 0,52               | 8,02                | 500                 | 279             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,8                     |
| Normal Rifle WP 500         | 4.49(.177)     | 500WPN45-R2  | 0,52               | 8,02                | 500                 | 279             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,8                     |
| Normal Rifle WP 500         | 4.51(.177)     | 500WPN45-R3  | 0,52               | 8,02                | 500                 | 279             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 6,8                     |

| Product Informations        | Calibre mm (") | Product code | Pellet weight/gram | Pellet weight/grain | Pellets in tin/pcs. | Tin weight/gram | Tin typ diametre/mm | Tins quantity/Card.box | Pellets quantity/Card.box | Cardboard box dimensions/mm | Cardboard box weight/kg |
|-----------------------------|----------------|--------------|--------------------|---------------------|---------------------|-----------------|---------------------|------------------------|---------------------------|-----------------------------|-------------------------|
| <b>HUNTING LINE PELLETS</b> |                |              |                    |                     |                     |                 |                     |                        |                           |                             |                         |
| Hollow Point 500 WP         | 4.5(.177)      | 500WPH45     | 0,54               | 8,33                | 500                 | 289             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 7,0                     |
| Hollow Point 250 WP         | 5.5(.22)       | 250WPH55     | 0,95               | 14,66               | 250                 | 257             | R66x22 S0           | 24                     | 6000                      | 235x155x95                  | 6,3                     |
| FX450                       | 4.5(.177)      | FX450        | 0,62               | 9,57                | 500                 | 329             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 8,0                     |
| FX550                       | 5.5(.22)       | FX550        | 1,10               | 16,98               | 250                 | 294             | R66x22 S0           | 24                     | 6000                      | 235x155x95                  | 7,2                     |
| Pointed 500 WP              | 4.5(.177)      | 500WPP45     | 0,58               | 8,95                | 500                 | 309             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 7,5                     |
| Pointed 200 WP              | 4.5(.177)      | 200WPP45     | 0,58               | 8,95                | 200                 | 127             | R50x18              | 60                     | 12000                     | 235x155x95                  | 7,7                     |
| Pointed 500 WP              | 5.5(.22)       | 500WPP55     | 1,00               | 15,43               | 500                 | 523             | R66x32 S0           | 18                     | 9000                      | 235x155x95                  | 9,5                     |
| Pointed 250 WP              | 5.5(.22)       | 250WPP55     | 1,00               | 15,43               | 250                 | 269             | R66x22 S0           | 24                     | 6000                      | 235x155x95                  | 6,6                     |
| Pointed 100 WP              | 5.5(.22)       | 100WPP55     | 1,00               | 15,43               | 100                 | 111             | R50x18              | 60                     | 6000                      | 235x155x95                  | 6,7                     |
| Xtreme ft                   | 4.5(.177)      | 400XFT45     | 0,675              | 10,42               | 400                 | 290             | R66x22 S0           | 24                     | 9600                      | 235x155x95                  | 7,1                     |
| Xtreme ht                   | 4.5(.177)      | 400XHT45     | 0,675              | 10,42               | 400                 | 290             | R66x22 S0           | 24                     | 9600                      | 235x155x95                  | 7,1                     |
| Xtreme fx                   | 4.5(.177)      | 400AFX45     | 0,750              | 11,57               | 400                 | 320             | R66x22 S0           | 24                     | 9600                      | 235x155x95                  | 7,8                     |
| Xtreme ft                   | 5.5(.22)       | 200XFT55     | 1,350              | 20,84               | 200                 | 290             | R66x22 S0           | 24                     | 9600                      | 235x155x95                  | 7,1                     |
| Xtreme ht                   | 5.5(.22)       | 200XHT55     | 1,350              | 20,84               | 200                 | 290             | R66x22 S0           | 24                     | 9600                      | 235x155x95                  | 7,1                     |
| Xtreme fx                   | 5.5(.22)       | 200AFX55     | 1,500              | 23,14               | 200                 | 320             | R66x22 S0           | 24                     | 9600                      | 235x155x95                  | 7,8                     |
| Heavy Pointed 125 WP        | 6.35(.25)      | 125WPHP635   | 2,00               | 30,86               | 125                 | 269             | R66x22 S0           | 24                     | 3000                      | 235x155x95                  | 6,6                     |
| Heavy Domed 125 WP          | 6.35(.25)      | 125WPHP635   | 2,00               | 30,86               | 125                 | 269             | R66x22 S0           | 24                     | 3000                      | 235x155x95                  | 6,6                     |
| Pointed 150 WPP <i>New!</i> | 6.35(.25)      | 150WPP635    | 1,60               | 24,69               | 150                 | 251             | R66x22 S0           | 24                     | 3600                      | 235x155x95                  | 6,1                     |
| Field 150 WPF <i>New!</i>   | 6.35(.25)      | 125WPF635    | 1,60               | 24,69               | 150                 | 251             | R66x22 S0           | 24                     | 3600                      | 235x155x95                  | 6,1                     |
| <b>FIELD LINE PELLETS</b>   |                |              |                    |                     |                     |                 |                     |                        |                           |                             |                         |
| Field 500 WP                | 4.5(.177)      | 500WPF45     | 0,56               | 8,64                | 500                 | 299             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 7,3                     |
| Field 200 WP                | 4.5(.177)      | 200WPF45     | 0,56               | 8,64                | 200                 | 123             | R50x18              | 60                     | 12000                     | 235x155x95                  | 7,5                     |
| Field Target 500 WP         | 4.50(.177)     | 500WPFT45-1  | 0,56               | 8,64                | 500                 | 299             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 7,3                     |
| Field Target 500 WP         | 4.49(.177)     | 500WPFT45-2  | 0,56               | 8,64                | 500                 | 299             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 7,3                     |
| Field Target 500 WP         | 4.52(.177)     | 500WPFT45-3  | 0,56               | 8,64                | 500                 | 299             | R66x22 S0           | 24                     | 12000                     | 235x155x95                  | 7,3                     |
| Field 500 WP                | 5.5(.22)       | 500WPF55     | 1,00               | 15,43               | 500                 | 523             | R66x32 S0           | 18                     | 9000                      | 235x155x95                  | 9,5                     |
| Field 250 WP                | 5.5(.22)       | 250WPF55     | 1,00               | 15,43               | 250                 | 269             | R66x22 S0           | 24                     | 6000                      | 235x155x95                  | 6,6                     |
| Field 100 WP                | 5.5(.22)       | 100WPF55     | 1,00               | 15,43               | 100                 | 111             | R50x18              | 60                     | 6000                      | 235x155x95                  | 6,7                     |
| Field Target 250 WP         | 5.50(.22)      | 250WPFT55-1  | 1,00               | 15,43               | 250                 | 269             | R66x22 S0           | 24                     | 6000                      | 235x155x95                  | 6,6                     |
| Field Target 250 WP         | 5.49(.22)      | 250WPFT55-2  | 1,00               | 15,43               | 250                 | 269             | R50x18              | 24                     | 6000                      | 235x155x95                  | 6,6                     |
| Field Target 250 WP         | 5.52(.22)      | 250WPFT55-3  | 1,00               | 15,43               | 250                 | 269             | R66x22 S0           | 24                     | 6000                      | 235x155x95                  | 6,6                     |

| Product Informations                | Calibre mm (") | Product code | Pellet weight/ gram | Pellet weight/ grain | Pellets in tin/ pcs. | Tin weight/ gram | Tin typ diametre/ mm | Tins quantity/ Card.box | Pellets quantity/ Card.box | Cardboard box dimensions/ mm | Cardboard box weight/ kg |
|-------------------------------------|----------------|--------------|---------------------|----------------------|----------------------|------------------|----------------------|-------------------------|----------------------------|------------------------------|--------------------------|
| <b>LEAD FREE PELLETS</b>            |                |              |                     |                      |                      |                  |                      |                         |                            |                              |                          |
| <b>200PMP</b>                       | 4.5(.177)      | 200PMP45     | 0,37                | 5,80                 | 200                  | 80               | R54x18 S0            | 50                      | 10000                      | 225x115x110                  | 4,1                      |
| <b>150PMP</b>                       | 4.5(.177)      | 150PMP45     | 0,52                | 8,02                 | 150                  | 83               | R54x18 S0            | 50                      | 7500                       | 225x115x110                  | 4,3                      |
| <b>250PMP</b>                       | 4.5(.177)      | 250PMP45     | 0,40                | 6,40                 | 250                  | 106              | R54x18 S0            | 50                      | 12500                      | 225x115x110                  | 5,4                      |
| <b>150PMX</b>                       | 4.5(.177)      | 150PMX45     | 0,58                | 9,00                 | 150                  | 93               | R54x18 S0            | 50                      | 7500                       | 225x115x110                  | 4,8                      |
| <b>125PP</b> <i>New!</i>            | 4.5(.177)      | 125PP45      | 0,28                | 4,20                 | 125                  | 41               | R54x18 S0            | 50                      | 6250                       | 225x115x110                  | 2,2                      |
| <b>150PP</b> <i>New!</i>            | 4.5(.177)      | 150PP45      | 0,25                | 3,80                 | 150                  | 44               | R54x18 S0            | 50                      | 7500                       | 225x115x110                  | 2,3                      |
| <b>100PMP</b> <i>New!</i>           | 5.5(.22)       | 100PMP55     | 0,65                | 10,04                | 100                  | 73               | R54x18 S0            | 50                      | 5000                       | 225x115x110                  | 3,8                      |
| <b>80PMP</b> <i>New!</i>            | 5.5(.22)       | 80PMP55      | 1,17                | 17,15                | 80                   | 95               | R54x18 S0            | 50                      | 4000                       | 225x115x110                  | 4,9                      |
| <b>BB SHOTS</b>                     |                |              |                     |                      |                      |                  |                      |                         |                            |                              |                          |
| <b>Premium Steel BB's zinc c.</b>   | 4.5(.177)      | 750BBZ45     | 0,35                | 5,40                 | 750                  | 282              | R66x22 S0            | 24                      | 18000                      | 235x155x95                   | 6,9                      |
| <b>Premium Steel BB's copper c.</b> | 4.5(.177)      | 750BBC45     | 0,35                | 5,40                 | 750                  | 282              | R66x22 S0            | 24                      | 18000                      | 235x155x95                   | 6,9                      |

| Product Informations                        | Calibre mm (") | Product code | Pack weight/ gram | Pack weight/ oz | Pellets in tube/ pcs. | Pack dimensions/ LxHxW mm | Tubes quantity/ Pack | Pack quantity/ Card box | Pellets quantity/ Card.box | Cardboard box dimensions/ mm | Cardboard box weight/ kg |
|---|----------------|--------------|-------------------|-----------------|-----------------------|---------------------------|----------------------|-------------------------|----------------------------|------------------------------|--------------------------|
| <b>4 PACK</b>                               |                |              |                   |                 |                       |                           |                      |                         |                            |                              |                          |
| <b>4 PACK x 250 pcs. pellets-A</b>          | 4.5(.177)      | 4P250WP45-A  | 512,50            | 7901            | 250                   | 100x21x100                | 4                    | 10                      | 10000                      | 210x110x110                  | 5,2                      |
| <b>4 PACK x 125 pcs. pellets-B</b>          | 5.5(.22)       | 4P125WP55-B  | 492               | 7592            | 125                   | 100x21x100                | 4                    | 10                      | 5000                       | 210x110x110                  | 4,9                      |
| <b>4 PACK PMP pellets-C 4.5 &amp; 5.5</b>   | 177&.22        | 4PPMP4555-C  | 335               | 5170            | *                     | 100x21x100                | 4                    | 10                      | 5300                       | 210x110x110                  | 3,5                      |
| <b>SIX PACK TUBE SAMPLES</b>                |                |              |                   |                 |                       |                           |                      |                         |                            |                              |                          |
| <b>Hunting &amp; Field line pellets</b>     | 4.5(.177)      | 6TS-HF45     | 177,00            | 6,24            | 40                    | 146x90x25                 | 6                    | 8                       | 1920                       | 235x155x95                   | 1,5                      |
| <b>Sport &amp; Competition line pellets</b> | 4.5(.177)      | 6TS-SC45     | 160,00            | 5,64            | 40                    | 146x90x25                 | 6                    | 8                       | 1920                       | 235x155x95                   | 1,4                      |
| <b>Competition line pellets</b>             | 4.5(.177)      | 6TS-CP45     | 162,00            | 5,71            | 40                    | 146x90x25                 | 6                    | 8                       | 1920                       | 235x155x95                   | 1,4                      |
| <b>Sport &amp; Field line pellets</b>       | 5.5(.22)       | 6TS-SF55     | 218,00            | 7,69            | 30                    | 146x90x25                 | 6                    | 8                       | 1440                       | 235x155x95                   | 1,9                      |
| <b>Lead free pellets</b> <i>New!</i>        | 4.5(.177)      | 6TS-PMP45    | 132,00            | 4,65            | **                    | 146x90x25                 | 6                    | 8                       | 1680                       | 235x155x95                   | 1,2                      |

\* see page No. 27 for details

\*\* see page No. 29 for details

# Coal's packaging & transportation solutions

## Standard packaging

The basic package is a labelled tin. The selling and distribution package is a 3-layer cardboard box. Both, the basic and the selling and distribution packages are designed to protect the pellets and preserve its quality.

## Optional packaging

We offer new possibilities for product packaging in stretch foil or blisterpack in accordance with your needs.

Stretch foil is used to pack more tins (eg. 4 or 10 tins) which are then completed in cardboard boxes. Blisterpack with 1 to 4 pcs. tins is intended for markets, which use this form of packaging for the sale and purchase of airgun pellets.


Both additional offers include an extra charge. For an individual offer send us your inquiry.

## Transport packaging



For land and overseas transportation of our products we use wooden Euro-pallets of 120 cm x 80 cm size. The load height of the pallets is up to 70 cm, the maximum load weight is 1000 kg. Fully loaded Euro-pallet contains 125 – 150 cardboard boxes of airgun pellets (depending on the type of pellets loaded). The cardboard boxes are properly secured by outer packaging.

## Distributors

Our distributors worldwide can be found on our website [www.the-airgun-pellets.com](http://www.the-airgun-pellets.com).



**1 row  
25cart**




# Would you like to have your own designed pellets?



Would you like to have your own designed pellets?  
Then you found the right partner for your idea. You can choose  
between the options of your own designed boxes, the choice of  
shape and weight of pellets, the type and size of the packaging..  
No matter what your ideas are, we will realize them.  
Tell us about your ideas, make them come true!





If you're looking for  
high quality airgun pellets,  
you've found them!



Cos Ltd.  
Nova ulica 1, Petišovci  
SI-9220 Lendava  
Slovenia (EU)  
phone: +386 40 896 007  
fax: +386 25 788 274  
e-mail: [info@coal.si](mailto:info@coal.si)  
[www.coal.si](http://www.coal.si)  
[www.the-airgun-pellets.com](http://www.the-airgun-pellets.com)